

Data from MIL as Submitted to DGCA

UID	Description	Description Longitude (meters)	Description Latitude (meters)	Location of Obstacle	Ownership	Correspondence Address	Surface	Sub-Surface	Present Altitude	Permitted Altitude	Infringement	Current Status	Obstacle Type	Reason for above mentioned building, structures, tress to become obstacle	Height of the building with infrngment	Base Elevation	Distance from the ARP	Northing	Easting
95	BUILDING	079°02'38.7155"E	21°05'56.719"N	TRANSITIONAL	Jayant Nandapurkar	Mr. Jayant Nandapurkar Plot No 21 Vijay Society Sonegaon Nagpur 440022 Mobile: 8275044539	TRANSITIONAL	NA	318.9	316.74	2.1	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	10.68	308.22	923	2334362.791	296829.377
1225	BUILDING	079°02'36.98"E	21°06'00.864"N	TRANSITIONAL	Malhar Kolhatkar	Mr. Malhar Kolhatkar Plot No 10 Vijaya Co-operative Housing Society Nagpur 440022 Mobile: 9422866776	TRANSITIONAL	NA	326.96	321.96	4.8	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	17.67	309.29	1060	2334490.891	296780.854
1227	BUILDING	079°02'38.45"E	21°05'57.372"N	TRANSITIONAL	Avinash Tarpe	Mrs. Priya Nilesh Dani (Secretary) Plot No 18,19 & 20 Vijaya Housing Society Sonegaon Nagpur 440022 Mobile: 9921256686	TRANSITIONAL	NA	323.57	317.6	5.9	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	15.35	308.22	945	2334382.969	296821.961
1229	BUILDING	79°02'34.32"E	21°06'2.185"N	TRANSITIONAL	Praful Dahekar	Mr. Praful Dahekar (Secretary) Plot No 50 Manish Layout Sonegaon 440022	TRANSITIONAL	NA	323.33	316.82	6.5	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	14.07	309.26	1132	2334532.464	296704.580
1230	BUILDING	079°02'32.14"E	21°06'5.067"N	TRANSITIONAL	Pravin Gorkhande	Mr. Pravin Gorkhande (Builder) Plot No 42 & 43 Greenfield Society Wahane Layout Nagpur 440022 Mobile: 9225213171	TRANSITIONAL	NA	323.5	317.54	5.9	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	13.59	309.91	1240	2334621.878	296642.751
162	BUILDING	79°02'26.6862"E	21°06'15.8089"N	TRANSITIONAL	Mohan Pujari	Mr. Mohan Pujari Plot No 45 Sujata Layout Nagpur 440022 Mobile: 8446672865	TRANSITIONAL	NA	337	329.38	7.6	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	22.25	314.75	1605	2334954.196	296489.412
1226	BUILDING	079°02'26.56"E	21°06'13.897"N	TRANSITIONAL	Kurmanna Mungela	Mr. Kurmanna Mungela Plot No 20 Sujata Layout Near Pannase Bus Stop Nagpur 440022 Mobile: 7550582278	TRANSITIONAL	NA	331.74	324.21	7.5	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	16.56	315.18	1556	2334895.438	296485.045
5861	BUILDING	079°02'22.026"E	21°06'20.120"N	TRANSITIONAL	Deepak Chore	Mr. Deepak Chore Flat No 202 Plot No 27-28 Mangaldham Co-operative Society Indraprastha Nagar Nagpur 440022	TRANSITIONAL	NA	334.5	328	6.5	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	20.71	313.79	1787	2335088.446	296356.545
5862	BUILDING	079°02'20.222"E	21°06'20.333"N	TRANSITIONAL	Seema Shrivastav	Mrs. Seema Shrivastav Plot No 22 Mangaldham Society Indraprastha Nagar Nagpur 440022 Mobile: Mr. Nitin: 9923671849	TRANSITIONAL	NA	335	322.7	12.3	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	21.21	313.79	1820	2335095.639	296304.560
5158	BUILDING	079°02'17.454"E	21°06'24.293"N	TRANSITIONAL	Dilip Wyawhare	Mr. Dilip Wyawhare (Secretary) Plot No 02 Fulsunge Layout Indraprastha Nagar Bhamti Nagpur 440022 Mobile: 9960931287	TRANSITIONAL	NA	332.3	324.2	8.1	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	18.81	313.49	1965	2335218.419	296226.174
5863	BUILDING	079°02'18.814"E	21°06'24.692"N	TRANSITIONAL	Uday Nagpure	Mr. Uday Nagpure (Builder) Plot No 167 Indraprastha Nagar Nagpur 440022	TRANSITIONAL	NA	329.9	329.6	0.3	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	16.51	313.39	1955	2335230.207	296265.577
5866	BUILDING	079°02'18.701"E	21°06'24.063"N	TRANSITIONAL	Sohan Pearls	Sohan Pearls Fulsunge Layout Indraprastha Nagar Nagpur 440022	TRANSITIONAL	NA	331	327.6	3.4	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	17.61	313.39	1940	2335210.901	296262.077
5926	BUILDING	079° 02' 17.496"E	21° 06' 22.952"N	TRANSITIONAL	Vikas Sumbh	Mr. Vikas Sumbh/ Mr. Chandrashekhar Tabhane Plot No 11 Tabhane Layout Indraprastha Nagar Bhamti Nagpur 440022 Mobile: 9404120767	TRANSITIONAL	NA	332.2	320.7	11.5	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	18.41	313.79	1930	2335177.160	296226.878
6634	BUILDING	079°02'15.713"E	21°06'25.522"N	TRANSITIONAL	Sanjay More	Mrs. Varsha Sanjay More M/s Lalit Developers and Builders Plot No 7, Sadguru Niwas Mangal Murti Square Trimurti Nagar 440022 Mobile: Adv. More: 9923813697	TRANSITIONAL	NA	328.7	321.8	6.9	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	15.51	313.19	2024	2335256.839	296176.393
6358	BUILDING	079°02'08.843"E	21°06'34.876"N	TRANSITIONAL	Suresh Somkuwar	Mr. Suresh Somkuwar Plot No 14 Search Valley Colony Ring Road Nagpur 440022 Mobile: 9766124561	TRANSITIONAL	NA	326.7	323.4	3.3	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	14.41	312.29	2373	2335546.981	295981.671
6641	BUILDING	079°02'09.643"E	21°06'33.698"N	TRANSITIONAL	Dashrath Paunikar	Dashrath Paunikar Plot No 21 Neeta Co-operative society Indraprastha Nagar Nagpur 440022 Mobile: 9503119497	TRANSITIONAL	NA	327.5	323	4.5	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	15.21	312.29	2330	2335510.464	296004.312
6433	STRUCTURE	079°01'58.413"E	21°06'58.173"N	TRANSITIONAL	Sunil Sareen	Mr. Sunil Sareen Bharti Airte Limited Airtel center Plot No 16 Udyog Vihar Ph-IV Delhi 122015	TRANSITIONAL	NA	350.1	348.9	1.2	NOT CLEAR	STRUCTURE	NOC for height clearance not obtained from AAI	30.21	319.89	3141	2336267.232	295689.519
336	BUILDING	79°01'55.2741"E	21°06'54.4073"N	TRANSITIONAL	Vijay Kaushal	Mr. Vijay kaushal Plot No 34 Dubey Layout Jaitala 440036 Mobile: 9823180580	TRANSITIONAL	NA	330	327.24	2.7	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	10.71	319.29	3090	2336152.534	295597.499
5196	BUILDING	079°01'54.997"E	21°06'56.574"N	TRANSITIONAL	Narendra Gotmare	Mr. Narendra Gotmare Plot No 02 Flat No 401 Dubey Layout Bazar chowk Jaitala Road Nagpur 440036 Mobile: 9823719274	TRANSITIONAL	NA	338.4	333.3	5.1	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	18.51	319.89	3151	2336219.273	295590.327
5285	BUILDING	079°01'53.544"E	21°06'55.467"N	APPROACH 14	Arvind Pathak	Mr. Arvind Pathak Plot No 10 Sai Mangal Layout Jaitala Road Nagpur 440036 Mobile: 9823382999	APPROACH 14	NA	333.6	328.1	5.5	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	13.71	319.89	3145	2336185.745	295547.972
5300	BUILDING	079°01'54.934"E	21°06'54.862"N	TRANSITIONAL	Shirkant Kurve	Mr. Shirkant Kawre Plot No 33C Dubey Layout Jaitala Nagpur 440022 Mobile: 8055058494	TRANSITIONAL	NA	329.4	328.6	0.8	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	10.11	319.29	3107	2336166.640	295587.857
5796	BUILDING	079°01'57.417"E	21°06'52.012"N	TRANSITIONAL	Manish Pansuriya	Plot No 42 Shard Nagar Dubey Layout Nagpur 440036 Mobile: 9372377503	TRANSITIONAL	NA	332.3	329.6	2.7	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	17.31	314.99	2995	2336078.098	295658.430
6284	BUILDING	079°01'54.766"E	21°06'56.010"N	TRANSITIONAL	Mahendra Taywade	Plot No 08 Dubey Layout Sharda Bazar Jaitala Road Nagpur 440022 Mobile: 9422101303	TRANSITIONAL	NA	335.1	331.8	3.3	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	8.61	319.89	3140	2336202.009	295583.445
5017	BUILDING	079°01'52.181"E	21°06'57.133"N	APPROACH 14	Umesh Balpande	Mr. Umesh Balpande Flt No 401, 4th Floor Prasad Nagar Jaitala Road Nagpur 440036 Mobile: 8055455235	APPROACH 14	NA	338.38	329.38	9.0	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	18.58	319.80	3209	2336237.472	295509.271
6419	BUILDING	079°01'53.075"E	21°06'57.860"N	TRANSITIONAL	Ramkishan Gupta	Mr. Ramkishan Gupta House No 257 Gupta Tower hanuman Lane Sitabuldi Main Road Nagpur 440022	TRANSITIONAL	NA	340	330.1	9.9	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	19.81	320.19	3214	2336259.512	295535.348
5026	BUILDING	079°01'51.174"E	21°06'57.520"N	APPROACH 14	Shirish Chaudhary	Mr. Shirish Chaudhary Plot No 20 Prasad Nagar Jaitala Road Nagpur 440036 Mobile: 9822564404	APPROACH 14	NA	338.43	329.93	8.5	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	18.43	320.00	3235	2336249.734	295480.357
5284	BUILDING	079°01'50.413"E	21°06'57.074"N	APPROACH 14	Surendra Gharpure	Mr. Surendra Gharpure Plot No 18 Prasad NagarJaitala Road Nagpur 440036 Mobile: 9371457853	APPROACH 14	NA	333.3	329.9	3.4	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	13.31	319.99	3236	2336236.289	295458.225
5961	BUILDING	079°01'51.919"E	21°06'57.885"N	APPROACH 14	Nitin Kulkarni	Mr. Nitin Kulkarni Plot No 23 Prasad Nagar Jaitala Road Nagpur 440036 Mobile: 9225215497	APPROACH 14	NA	334.3	329.8	4.5	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	14.50	319.80	3233	2336260.694	295501.996
5422	BUILDING	079°01'48.645"E	21°06'57.721"N	APPROACH 14	Jayant Irkhede	Jai Bhavani Dr. Jayant Irkhede /Mr. Gunwant Irkhede Plot No 65 Prasa Nagar 440036 Mr. Gunwant Irkhede 9422829600	APPROACH 14	NA	330.5	330	0.5	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	10.31	320.19	3282	2336256.821	295407.448
6434	BUILDING	079°01'48.578"E	21°06'58.730"N	APPROACH 14	Sarika Chakunde	Mrs. Sarika Chakunde C/o Mr. Jayant Chaudhari / Mr. Champalal kanungo Plot No 58 Prasad Nagar, Jaitala Nagpur 440036 Mobile: 9403211199	APPROACH 14	NA	332.3	330.5	1.8	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	12.11	320.19	3308	2336287.878	295405.899
5397	BUILDING	079°01'47.618"E	21°07'00.994"N	APPROACH 14	Ravindra Deshpande	Mr. Ravindra Deshpande Plot No 78 Prasad Nagar Jaitala Road Nagpur 440036 Mobile: 9011009845	APPROACH 14	NA	336.94	332.84	4.1	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	16.05	320.89	3381	2336357.854	295379.057
6431	BUILDING	079°01'49.448"E	21°06'59.367"N	APPROACH 14	Vijay Kulkarni	Mr. Vijay Kulkarni Plot No 53 Prasad Nagar Nagpur 440036 Mobile: 9922900254 Mr. Mukesh Manjrekar (Flat Owner): 9823261878	APPROACH 14	NA	336.8	331.4	5.4	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	16.67	320.13	3310	2336307.159	295431.249
5028	BUILDING	079°01'44.413"E	21°07'00.814"N	APPROACH 14	Anshuman Sahastrabhojane	Mr. Anshuman Sahastrabhojane 'Shiv Swaroop' M/s Vishwas Constructions ZHEP 71, West High Court Road Shankar Nagar Nagpur 440010 Mobile: 9823237700 Mr. P Upasani 9890213029	APPROACH 14	NA	341.2	334.8	7.3	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	21.14	320.06	3430	2336353.464	295286.494
5979	BUILDING	079°01'42.675"E	21°06'58.213"N	APPROACH 14	Sachin Sovani	Mr. Sachin Sovani (Secretary) Siddhivinayak Residential II and III Keshav Madhav Nagar Prasad Nagar Nagpur 440036 Mobile: 9822603030	APPROACH 14	NA	336.7	333.2	3.5	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	17.21	319.49	3395	2336274.088	295235.345
5392	BUILDING	079°01'46.291"E	21°06'55.214"N	APPROACH 14	Sunil Patil	Mr. Sunil Patil Plot No 44 Nupur Vidyapeeth Society Near Prasad Nagar Nagpur 440036	APPROACH 14	NA	330.8	330.4	0.4	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	13.71	317.09	3259	2336180.556	295338.557
5335	BUILDING	079°01'39.665"E	21°06'47.587"N	APPROACH 14	Nilikesh Kolhe	Mr. Nilikesh Kolhe Plot No 44 Ahilya Nagar Bagadi Layout Nagpur 440036	APPROACH 14	NA	328.7	328	0.7	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	10.91	317.79	3198	2335948.348	295144.423
5255	BUILDING	079°01'43.463"E	21°06'44.305"N	APPROACH 14	C N Gampawar	C N Gampawar Plot No 19 Narkesri Society Road Jaitala Road Nagpur 440036	APPROACH 14	NA	326.58	325.98	0.6	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	8.29	318.29	3050	2335846.046	295252.782
6244	BUILDING	079°01'41.780"E	21°06'44.281"N	TRANSITIONAL	K Damahe	Mr. K R Damahe Plot No 47 Narkesari Nagar Jaitala Road Nagpur 440036	TRANSITIONAL	NA	333.4	330.7	2.7	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	15.08	318.32	3082	2335845.910	295204.202
6594	BUILDING	079°01'43.161"E	21°06'44.208"N	TRANSITIONAL	C N Gampawar	C N Gampawar Plot No 19 Narkesri Society Road Jaitala Road Nagpur 440036	TRANSITIONAL	NA	329.38	326.38	3	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	11.09	318.29	3053	2335843.171	295244.030
5542	BUILDING	079°01'45.110"E	21°06'41.859"N	TRANSITIONAL	Vinayak Mirashe	Mr. Vinayak Mirashe Plot No 24 Pragati Nagar Jaitala Road Nagpur 440036 Mobile: 8087746434	TRANSITIONAL	NA	327.2	326.2	1	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	9.61	317.59	2962	2335770.227	295299.383
5891	BUILDING	079°01'44.676"E	21°06'43.089"N	APPROACH 14	Harihar Shende	Mr. Harihar Shendre Plot No 06 Pragati Nagar Jaitala Road Nagpur 440036 Mobile: 9403588880	APPROACH 14	NA	326.1	324.1	2	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	8.21	317.89	2998	2335808.213	295287.326
6225	BUILDING	079°01'46.300"E	21°06'41.457"N	APPROACH 14	Manohar Kumbhare	Mr. Manohar Kumbhare Plot No 65 Pragati Nagar Jaitala Road Nagpur 440036 Mobile: 9869261570	APPROACH 14	NA	327.6	323.6	4	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	9.71	317.89	2930	2335757.437	295333.573
6295	BUILDING	079°01'47.017"E	21°06'40.162"N	TRANSITIONAL	Bihari Choubey	Mr. Bihari Choubey/ Mr. Deepak Choubey C/A Pragati Nagar Jaitala Road Nagpur 440036 Mobile: 9637592588	TRANSITIONAL	NA	326.2	325.4	0.8	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	9.42	316.78	2886	2335717.351	295353.773
5369	BUILDING	079°01'46.500"E	21°06'44.025"N	APPROACH 14	Jiwanlal Deshmukh	Mr. Jiwanlal Deshmukh Plot No 73 Pragati Nagar Jaitala Road Nagpur 440036 Mobile: 9823693473	APPROACH 14	NA	327.7	324.8	2.9	NOT CLEAR	BUILDING	Violation of NOC issued by AAI					

5545	BUILDING	079°01'47.491"E	21°06'43.698"N	APPROACH 14	Pushpa Bhajipale	Mrs Pushpa Krishnaji Bhajipale Plot No 59 Pragati Nagar Jaitala Road Nagpur 440022 Mobile: 7447383625	APPROACH 14	NA	324.5	323.4	1.1	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	9.31	315.19	2959	2335825.936	295368.800
5564	BUILDING	079°01'47.445"E	21°06'42.777"N	APPROACH 14	Digambar Darokar	Mr. Digambar Darokar Plot No 61 Pragati Nagar Jaitala Nagpur 440036 Mobile: 9422817065	APPROACH 14	NA	326.9	323.9	3	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	11.71	315.19	2939	2335797.626	295367.121
6305	BUILDING	079°01'50.076"E	21°06'35.972"N	TRANSITIONAL	Angira Yadav	Mrs. Angira Yadav Plot No 67 Swardhamini Society Pragya Nagar Jaitala 440036 Mobile: 8668329450	TRANSITIONAL	NA	328.2	326.4	1.8	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	9.72	318.48	2731	2335587.388	295440.461
270	BUILDING	079°01'50.076"E	21°06'34.849"N	TRANSITIONAL	Indrajeet Orke	Mr. Indrajeet Orke Plot No 09 Search Colony Nagpur 440022 Mobile: 9422147585	TRANSITIONAL	NA	324.6	322.29	2.3	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	6.12	318.48	2706	2335552.849	295440.033
5038	BUILDING	079°01'44.568"E	21°07'06.270"N	APPROACH 14	Mayank Gupta	Sugandha Apartment Mr Mayank Gupta 1282D Rajendra Nagar Takli Seem Nagpur 440036 Mobile: 8087166888	APPROACH 14	NA	342.7	336.5	6.2	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	20.16	322.54	3565	2336521.215	295293.048
5843	BUILDING	079°01'44.689"E	21°07'06.666"N	APPROACH 14	Pankaj Dhawan	Mr. Pankaj Dhawan Plot No 32 Siddharth Nagar Jaitala Road Nagpur 440036 Mobile: 7767925178	APPROACH 14	NA	342.2	336.6	5.6	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	21.31	320.89	3573	2336533.352	295296.691
5852	BUILDING	079°01'41.010"E	21°07'09.368"N	APPROACH 14	Rajaram Waghade	Vignaharta Apartment Mr. Rajaram Waghade Flat No 102 Takli Seem Nagpur 440016 Mobile: 8421560587	APPROACH 14	NA	339.4	338.3	1.1	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	15.21	324.19	3702	2336617.772	295191.550
5841	BUILDING	079°01'44.655"E	21°07'11.813"N	APPROACH 14	Ajit Kumar	Dr Ajit Kumar Plot No 43 and 44, Flat No 101 Takli Seem nagpur 440036 Mobile: 9420457620	APPROACH 14	NA	343.18	339.18	4.0	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	22.19	320.99	3706	2336691.667	295297.673
6113	BUILDING	079°01'44.161"E	21°07'12.429"N	APPROACH 14	V Patil	Mr. V Patil (Secretary) Deepika's Arihant Arcade Takli Seem Mangaldham Society Nagpur 440036 Mr. Sandeep Kumar 9910145557	APPROACH 14	NA	345.6	339.7	5.9	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	24.61	320.99	3730	2336710.790	295283.651
6147	BUILDING	079°01'43.956"E	21°07'13.728"N	TRANSITIONAL	Rohit Sonare	Mr. Rohit Sonare Flat No 402 A wing Takli Seem Karnewar Layout Hingna T-Point Hingna Road Nagpur 440036 Mobile: 9923026462	TRANSITIONAL	NA	345.4	340.79	4.6	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	24.41	320.99	3767	2336750.816	295278.231
5377	BUILDING	079°01'36.657"E	21°07'14.828"N	APPROACH 14	Nandkishor Sharma	Nandkishor Sharma Opposite Angan Restaurant Takli Seem Hingna Road 440016 Mobile: 9422145596	APPROACH 14	NA	344.5	342.5	2.0	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	16.21	328.29	3911	2336787.262	295068.012
5015	BUILDING	079°01'35.164"E	21°07'06.889"N	APPROACH 14	Madhav Deshpande	Mr. Madhav Deshpande M/s Keshav Niwara Through its Partner Mr. Madhav Deshpande Shri rath 5/6 Sai Sagar Hingna Road Nagpur 440016 Mobile: 9822203019 Mr. Nachiket Shirkhande 9769068678	APPROACH 14	NA	349.08	339.98	9.1	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	22.62	326.46	3739	2336543.621	295021.894
5042	BUILDING	079°01'34.280"E	21°07'07.869"N	APPROACH 14	Pravin Pawar	Mr Pravin Pawar (Secretary) 27, Rajendra Nagar Yashoda Nagar Nagpur 440036 Mobile: 9822698292	APPROACH 14	NA	346.7	340.8	5.9	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	20.21	326.49	3778	2336574.079	294996.757
5831	BUILDING	079°01'31.749"E	21°07'09.957"N	APPROACH 14	Shailendra Shetty	Mr. Shailendra Shetty Plot No 21 Rajendra Nagar Yashoda nagar Nagpur 440036 Mobile: 7507774081	APPROACH 14	NA	346.13	342.73	3.4	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	19.84	326.29	3874	2336639.206	294924.513
5376	BUILDING	079°01'41.210"E	21°07'17.982"N	APPROACH 14	Sachin Shendre	Jaltarang Housing Society Hingna T point Nagpur 440036 Mobile: Mr. Sachin Shendre-9970142872	APPROACH 14	NA	345.99	343.39	2.6	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	17.70	328.29	3920	2336882.637	295200.608
6544	BUILDING	079°01'42.264"E	21°07'17.267"N	TRANSITIONAL	Sachin Shendre	Jaltarang Housing Society Hingna T point Nagpur 440036 Mobile: Mr. Sachin Shendre-9970142871	TRANSITIONAL	NA	347	344.2	2.8	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	20.79	326.21	3885	2336860.269	295230.752
5053	BUILDING	079°01'35.376"E	21°07'17.105"N	APPROACH 14	Prasanna Darvekar	Mr. Prasanna Darvekar Darvekar's Building Hingna MIDC Road Takli Seem Nagpur 440036 Mobile:9881713308	APPROACH 14	NA	350.14	345.04	5.1	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	21.72	328.42	3990	2336857.753	295031.913
5072	BUILDING	079°01'33.307"E	21°07'16.790"N	APPROACH 14	Hemant Khubalkar	Mr. Hemant Khubalkar (Secretary) Kasturi Ritika Vihar Hingna MIDC Road Takli Seem Nagpur 440036 Mobile: 9970142702	APPROACH 14	NA	349.88	345.88	4.3	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	20.79	329.09	4016	2336848.806	294972.085
5219	BUILDING	079°01'33.641"E	21°07'15.989"N	APPROACH 14	Mahendra Pal	Mr. Mahendra Pal Plot No 14 House No 352/F Survey No 24/2 takli Semm Hingna Road Nagpur 440016 Mobile: 9923333407	APPROACH 14	NA	348.38	345.08	3.3	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	19.29	329.09	3990	2336824.051	294981.418
5834	BUILDING	079°01'27.866"E	21°07'14.951"N	APPROACH 14	S M Pardhi	Anukrupa Apartment Mr. S M Pardhi 36/37 Hingna Road Yashoda Nagar Nagpur 440036	APPROACH 14	NA	345.9	345.6	0.3	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	17.01	328.89	4064	2336794.196	294814.363
5836	STRUCTURE	079°01'29.512"E	21°07'15.089"N	APPROACH 14	Vitthal	Mr. Vitthal Shree Boys Hostel Yashoda Nagar Bus Stop Nagpur 440016	APPROACH 14	NA	350.1	345.1	5.0	NOT CLEAR	STRUCTURE	NOC for height clearance not obtained from AAI	21.21	328.89	4038	2336797.850	294861.917
5226	BUILDING	079°01'19.333"E	21°07'10.041"N	APPROACH 14	Lalita Raut	Vitthal Sanidhya Mrs. Lalita Raut Sant Gadge Nagar Nagpur 440036 Mobile: 9561079583	APPROACH 14	NA	348.3	346.1	2.2	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	18.41	329.89	4104	2336646.244	294566.233
5680	BUILDING	079°01'16.965"E	21°07'09.837"N	APPROACH 14	Pankaj Nerkar	Mr. Pankaj Nerkar Plot No 03 Neelkamal society Hingna Road Nagpur 440036 Mobile: 9923939023	APPROACH 14	NA	350.56	347.76	2.8	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	19.07	331.49	4145	2336640.820	294497.817
6162	BUILDING	079°01'20.965"E	21°07'09.223"N	APPROACH 14	Mangesh Surawar	Mr. Mangesh Suravar Plot No 45 Neelkamal Gruh Nirman Sakhari Sanstha Hingna Road Nagpur 440034 Mobile: 9764739439	APPROACH 14	NA	349.4	346.1	3.3	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	21.12	328.28	4054	2336620.499	294613.018
6560	BUILDING	079°01'19.136"E	21°07'10.535"N	APPROACH 14	Surinder Singh Bawara	Mr. Surinder Singh Bawara Plot No 07 Income Tax colony Hingna Road Nagpur 440016	APPROACH 14	NA	348.8	346.4	2.4	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	18.51	330.29	4119	2336661.509	294560.737
6174	BUILDING	079°01'04.460"E	21°07'10.702"N	INNER HORIZONTAL	Virendra Gupta	Mr. Virendra Gupta - Secretary Plot No 1,2,3,4 Sansons Layout Behind Octroi Naka 09 Hingna Road Jaitala Nagpur 440036	INNER HORIZONTAL	NA	363.3	362.1	1.2	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	28.86	333.44	4414	2336671.921	294137.268
6175	BUILDING	079°01'04.546"E	21°07'12.062"N	INNER HORIZONTAL	Virendra Gupta	Mr. Virendra Gupta - Secretary Plot No 1,2,3,4 Sansons Layout Behind Octroi Naka 09 Hingna Road Jaitala Nagpur 440037	INNER HORIZONTAL	NA	362.4	361.1	1.3	NOT CLEAR	BUILDING	Violation of NOC issued by AAI	28.96	333.44	4442	2336713.719	294140.271
6379	STRUCTURE	079°00'28.006"E	21°07'22.991"N	INNER HORIZONTAL	Vinod Somkuwar	Mr. Vinod Somkuwar 41-43 & F-11/12 MIDC Industrial Area Hingna Nagpur 440028	INNER HORIZONTAL	NA	383.8	361.1	22.7	NOT CLEAR	STRUCTURE	NOC for height clearance not obtained from AAI	48.25	335.55	5450	2337063.042	293089.980
6382	STRUCTURE	079°00'28.519"E	21°07'33.932"N	INNER HORIZONTAL	BSNL	BSNL Telephone Exchange MIDC Hingna Beside Police Station Hingna Nagpur 440016	INNER HORIZONTAL	NA	368.6	361.1	7.5	NOT CLEAR	STRUCTURE	NOC for height clearance not obtained from AAI	35.05	333.55	5659	2337399.366	293109.003
6368	STRUCTURE	079°00'22.730"E	21°07'55.868"N	INNER HORIZONTAL	Chief Engineer MIDC Nagpur	Chief Engineer MIDC Civil Lines 440001	INNER HORIZONTAL	NA	369.7	361.1	8.6	NOT CLEAR	STRUCTURE	NOC for height clearance not obtained from AAI	23.97	345.73	6249	2338076.142	292950.411
6369	BUILDING	079°00'16.946"E	21°07'57.764"N	CONICAL	Tanveer Ahmad	Main Estate Road Hingna MIDC Parsdisinga Opp MIA Center for Sports and Recreation Nagpur 440028 Mobile: Mr. Tanveer: 9607979707	CONICAL	NA	369.7	360.99	8.7	NOT CLEAR	BUILDING	NOC for height clearance not obtained from AAI	23.61	346.09	6408	2338136.552	292784.237
6362	STRUCTURE	079°00'21.489"E	21°08'00.321"N	INNER HORIZONTAL	Sanjay Bhatnagar	Vodafone-Idea Limited Connectus Tower Bloack B 7 Floor Bhavbuti Marg New Delhi 110002	INNER HORIZONTAL	NA	388	361.1	26.9	NOT CLEAR	STRUCTURE	NOC for height clearance not obtained from AAI	40.91	347.09	6372	2338213.551	292916.319
6363	STRUCTURE	079°00'11.749"E	21°08'04.731"N	CONICAL	Harish Jadhav	Mr. Harish Kumar Jadhav AG3 Hingna PNE3 Hingna Wadi Road Nagpur 440028	CONICAL	NA	378.6	374.6	4	NOT CLEAR	STRUCTURE	NOC for height clearance not obtained from AAI	32.65	345.96	6665	2338352.719	292636.963

Data Captured by Raj Technologies during Field Verification Survey - June 2023

UID	Identification	Latitude (DMS)	Longitude (DMS)	Site Elevation (EGM 08)	Top Elevation (M) (EGM 08)	Site Elevation (M) (AMSL)	Top Elevation (M) (AMSL)	Height Above Ground Level (M)	Permitted Altitude (M)	Penetration in (m)	Surface	Northing	Easting	Survey Date	Survey ID
95	Pipe on Building	21°05'56.713"N	079°02'39.009"E	309.424	319.961	308.513	319.05	10.537	319.6	0.4	TRANSITIONAL	2334362.514	296837.8346	21-Jun-23	1
1225	Water Tank on Building	21°06'00.830"N	079°02'36.964"E	309.753	327.889	308.842	326.978	18.136	323.7	4.2	TRANSITIONAL	2334489.837	296780.3915	21-Jun-23	5
1227	Pipe on Building	21°05'57.609"N	079°02'39.055"E	309.334	325.727	308.423	324.816	16.393	322.2	3.5	TRANSITIONAL	2334390.049	296839.4986	21-Jun-23	2
1229	Water Tank on Building	21°06'02.216"N	079°02'34.272"E	310.314	324.481	309.403	323.57	14.167	318.7	5.8	TRANSITIONAL	2334533.446	296703.1958	21-Jun-23	8
1230	Railing Pipe on Building	21°06'05.200"N	079°02'31.975"E	311.265	327.849	310.354	326.938	16.584	319.6	8.2	TRANSITIONAL	2334626.03	296638.047	21-Jun-23	9
162	Building	21°06'15.906"N	079°02'26.699"E	315.751	332.537	314.84	331.626	16.786	332.5	Clear	TRANSITIONAL	2334957.17	296489.8133	21-Jun-23	12
1226	Water Tank on Building	21°06'14.012"N	079°02'26.619"E	316.468	334.299	315.557	333.388	17.831	326.9	7.4	TRANSITIONAL	2334898.96	296486.8006	23-Jun-23	90
5861	Pipe on Water Tank	21°06'19.988"N	079°02'22.003"E	316.854	336.22	315.943	335.309	19.366	328.4	7.8	TRANSITIONAL	2335084.391	296355.8409	21-Jun-23	15
5862	Pipe on Water Tank	21°06'20.331"N	079°02'20.261"E	317.256	336.116	316.345	335.205	18.86	323.8	12.3	TRANSITIONAL	2335095.566	296305.6687	21-Jun-23	14
5158	Pipe on Building	21°06'24.379"N	079°02'17.488"E	314.548	333.597	313.637	332.686	19.049	325.3	8.3	TRANSITIONAL	2335221.044	296227.1829	21-Jun-23	25
5863	Pipe on Water Tank	21°06'24.966"N	079°02'19.111"E	314.848	333.052	313.937	332.141	18.204	332.2	0.9	TRANSITIONAL	2335238.518	296274.2607	21-Jun-23	21
5866	Pipe on Building	21°06'23.994"N	079°02'18.584"E	314.854	333.037	313.943	332.126	18.183	328	5	TRANSITIONAL	2335208.814	296258.67	21-Jun-23	22
5926	Pipe on Water Tank	21°06'22.955"N	079°02'17.501"E	315.35	333.208	314.439	332.297	17.858	321.7	11.5	TRANSITIONAL	2335177.257	296227.0145	21-Jun-23	18
6634	Water Tank on Building	21°06'25.477"N	079°02'15.712"E	314.264	329.664	313.353	328.753	15.4	322.4	7.3	TRANSITIONAL	2335255.461	296176.3411	21-Jun-23	26
6358	Building	21°06'34.461"N	079°02'08.819"E	313.949	325.289	313.038	324.378	11.34	323.2	2.1	TRANSITIONAL	2335534.217	295980.8191	21-Jun-23	28
6641	Solar on Building	21°06'33.878"N	079°02'09.684"E	313.48	327.332	312.569	326.421	13.852	324.6	2.7	TRANSITIONAL	2335515.978	296005.5593	21-Jun-23	30
6433	Cell Phone Mast	21°06'58.173"N	079°01'58.407"E	319.466	351.941	318.555	351.03	32.475	349.7	2.2	TRANSITIONAL	2336267.243	295689.3525	21-Jun-23	32
336	Pipe on Water Tank	21°06'54.464"N	079°01'55.488"E	320.496	332.718	319.585	331.807	12.222	330.4	2.3	TRANSITIONAL	2336154.194	295603.701	22-Jun-23	42
5196	Pipe on Water Tank	21°06'56.561"N	079°01'55.144"E	321.117	339.915	320.206	339.004	18.798	334.7	5.2	TRANSITIONAL	2336218.808	295594.5499	22-Jun-23	40
5285	Solar on Building	21°06'55.717"N	079°01'53.955"E	320.795	334.682	319.884	333.771	13.887	329	5.7	APPROACH 14	2336193.301	295559.932	22-Jun-23	36
5300	Water Tank on Building	21°06'54.744"N	079°01'55.189"E	320.43	331.009	319.519	330.098	10.579	330	1	TRANSITIONAL	2336162.934	295595.1623	22-Jun-23	34
5796	Building	21°06'52.046"N	079°01'57.409"E	318.685	333.297	317.774	332.386	14.612	330.5	2.8	TRANSITIONAL	2336079.158	295658.2191	22-Jun-23	46
6284	Building	21°06'55.942"N	079°01'54.829"E	320.881	335.164	319.97	334.253	14.283	331.9	3.3	TRANSITIONAL	2336199.901	295585.2318	22-Jun-23	38
5017	Pipe on Water Tank	21°06'57.225"N	079°01'52.367"E	320.658	339.848	319.747	338.937	19.19	330.2	9.6	APPROACH 14	2336240.238	295514.668	22-Jun-23	47
6419	Pipe on Water Tank	21°06'57.961"N	079°01'53.210"E	320.985	341.215	320.074	340.304	20.23	331.8	9.4	TRANSITIONAL	2336262.559	295539.2746	22-Jun-23	44
5026	Pipe on Water Tank	21°06'57.487"N	079°01'51.153"E	321.414	339.726	320.503	338.815	18.312	330.8	8.9	APPROACH 14	2336248.715	295479.7298	22-Jun-23	54
5284	Pipe on Water Tank	21°06'57.028"N	079°01'50.409"E	320.834	334.106	319.923	333.195	13.272	330.8	3.3	APPROACH 14	2336234.869	295458.1003	22-Jun-23	55
5961	Pipe on Water Tank	21°06'57.922"N	079°01'51.995"E	321.414	337.128	320.503	336.217	15.714	330.7	6.4	APPROACH 14	2336261.805	295504.2097	22-Jun-23	53
5422	Building	21°06'57.697"N	079°01'48.621"E	321.093	332.439	320.182	331.528	11.346	331.8	0.6	APPROACH 14	2336256.106	295406.7346	22-Jun-23	58
6434	Building	21°06'58.780"N	079°01'48.723"E	321.272	333.231	320.361	332.32	11.959	332.3	0.9	APPROACH 14	2336289.355	295410.0969	22-Jun-23	57
5397	Pipe on Water Tank	21°07'00.951"N	079°01'47.649"E	319.194	338.231	318.283	337.32	19.037	333.7	4.5	APPROACH 14	2336356.523	295379.9424	22-Jun-23	59
6431	Pipe on Building	21°06'59.445"N	079°01'49.566"E	321.617	337.996	320.706	337.085	16.379	332.3	5.7	APPROACH 14	2336309.522	295434.686	22-Jun-23	56
5028	Pipe on Water Tank	21°07'00.511"N	079°01'44.471"E	321.51	341.791	320.599	340.88	20.281	334.6	7.2	APPROACH 14	2336344.132	295288.0423	22-Jun-23	60
5979	Pipe on Water Tank	21°06'58.462"N	079°01'42.447"E	320.965	337.618	320.054	336.707	16.653	334.3	3.3	APPROACH 14	2336281.834	295228.8523	22-Jun-23	61
5392	Water Tank on Building	21°06'55.215"N	079°01'46.309"E	319.139	331.81	318.228	330.899	12.671	331.3	0.5	APPROACH 14	2336180.593	295339.0615	22-Jun-23	63
5335	Water Tank on Building	21°06'47.938"N	079°01'39.480"E	323.195	331.731	322.284	330.82	8.536	330.1	1.6	APPROACH 14	2335959.224	295139.2266	22-Jun-23	65
5255	Building Corner	21°06'44.023"N	079°01'43.485"E	318.811	330.404	317.9	329.493	11.593	326.8	3.6	APPROACH 14	2335837.368	295253.2993	22-Jun-23	68
6244	Pipe on Water Tank	21°06'44.278"N	079°01'41.771"E	321.195	336.713	320.284	335.802	15.518	331.6	5.1	TRANSITIONAL	2335845.815	295203.9448	22-Jun-23	72
6594	Water Tank on Building	21°06'44.175"N	079°01'43.273"E	318.811	332.828	317.9	331.917	14.017	326.9	5.9	TRANSITIONAL	2335842.117	295247.2403	22-Jun-23	66
5542	Pipe on Water Tank	21°06'41.846"N	079°01'45.093"E	318.295	328.763	317.384	327.852	10.468	327.1	1.7	TRANSITIONAL	2335769.824	295298.883	22-Jun-23	73
5891	Pipe on Building	21°06'43.218"N	079°01'44.841"E	318.079	329.15	317.168	328.239	11.071	325.9	3.3	APPROACH 14	2335812.129	295292.1443	22-Jun-23	70
6225	Pipe on Water Tank	21°06'41.462"N	079°01'46.301"E	318.698	328.637	317.787	327.726	9.939	324.5	4.1	APPROACH 14	2335757.591	295333.5954	22-Jun-23	80
6295	Pipe on Water Tank	21°06'40.109"N	079°01'47.090"E	318.393	328.686	317.482	327.775	10.293	325.2	3.5	TRANSITIONAL	2335715.704	295355.8632	22-Jun-23	81
5369	Pipe on Water Tank	21°06'44.038"N	079°01'46.467"E	317.346	329.061	316.435	328.15	11.715	325.8	3.3	APPROACH 14	2335836.774	295339.3735	22-Jun-23	74
5372	Pipe on Water Tank	21°06'43.560"N	079°01'46.580"E	317.346	327.858	316.435	326.947	10.512	325.5	2.4	APPROACH 14	2335822.029	295342.4512	22-Jun-23	76
5545	Pipe on Water Tank	21°06'43.732"N	079°01'47.492"E	317.11	325.624	316.199	324.713	8.514	325.3	0.3	APPROACH 14	2335826.983	295368.8529	22-Jun-23	79

5564	Pipe on Water Tank	21°06'42.784"N	079°01'47.410"E	317.11	328.671	316.199	327.76	11.561	324.8	3.9	APPROACH 14	2335797.855	295366.0981	22-Jun-23	77
6305	Building	21°06'36.071"N	079°01'50.002"E	319.027	328.307	318.116	327.396	9.28	326.3	2	TRANSITIONAL	2335590.471	295438.3677	22-Jun-23	82
270	Pipe on Water Tank	21°06'35.005"N	079°02'08.787"E	313.949	326.356	313.038	325.445	12.407	324.4	2	TRANSITIONAL	2335550.96	295980.1119	22-Jun-23	85
5038	Pipe on Water Tank	21°07'06.117"N	079°01'44.492"E	324.341	343.754	323.43	342.843	19.413	337.3	6.5	APPROACH 14	2336516.526	295290.7879	22-Jun-23	86
5843	Building	21°07'06.541"N	079°01'44.826"E	324.341	343.21	323.43	342.299	18.869	337.4	5.8	APPROACH 14	2336529.45	295300.586	22-Jun-23	87
5852	Pipe on Water Tank	21°07'09.373"N	079°01'41.112"E	325.15	341.836	324.239	340.925	16.686	340.1	1.7	APPROACH 14	2336617.904	295194.4952	22-Jun-23	89
5841	Dish on Building	21°07'11.829"N	079°01'44.677"E	321.901	344.638	320.99	343.727	22.737	340.1	4.5	APPROACH 14	2336692.148	295298.3099	23-Jun-23	97
6113	Pipe on Building	21°07'12.427"N	079°01'44.198"E	321.901	346.989	320.99	346.078	25.088	340.6	6.4	APPROACH 14	2336710.706	295284.7178	23-Jun-23	98
6147	Pipe on Building	21°07'13.575"N	079°01'43.990"E	321.901	345.693	320.99	344.782	23.792	341.3	4.4	TRANSITIONAL	2336746.097	295279.1498	23-Jun-23	99
5377	Building	21°07'14.722"N	079°01'36.718"E	329.049	346.343	328.138	345.432	17.294	344.3	2	APPROACH 14	2336783.98	295069.7355	23-Jun-23	96
5015	Grill on Building	21°07'06.892"N	079°01'35.165"E	327.431	349.671	326.52	348.76	22.24	340.9	8.8	APPROACH 14	2336543.719	295021.93	23-Jun-23	92
5042	Dish on Building	21°07'07.872"N	079°01'34.284"E	327.431	347.646	326.52	346.735	20.215	341.7	5.9	APPROACH 14	2336574.158	294996.8767	23-Jun-23	93
5831	Pipe on Building	21°07'09.985"N	079°01'31.722"E	327.201	347.574	326.29	346.663	20.373	343.6	4	APPROACH 14	2336640.07	294923.7445	23-Jun-23	95
5376	Pipe on Building	21°07'18.001"N	079°01'41.191"E	327.732	348.186	326.821	347.275	20.454	344.4	3.8	APPROACH 14	2336883.241	295200.0734	23-Jun-23	101
6544	Solar on Building	21°07'17.325"N	079°01'42.391"E	327.732	346.778	326.821	345.867	19.046	345.7	1.1	TRANSITIONAL	2336862.021	295234.4297	23-Jun-23	100
5053	Building	21°07'16.881"N	079°01'35.377"E	329.646	350.478	328.735	349.567	20.832	345.8	4.7	APPROACH 14	2336850.856	295031.8524	23-Jun-23	102
5072	Pipe on Building	21°07'16.793"N	079°01'33.312"E	330.084	350.708	329.173	349.797	20.624	346.5	4.2	APPROACH 14	2336848.886	294972.2176	23-Jun-23	104
5219	Dish on Building	21°07'15.957"N	079°01'33.481"E	329.98	350.969	329.069	350.058	20.989	346	5	APPROACH 14	2336823.109	294976.786	23-Jun-23	103
5834	Building	21°07'14.955"N	079°01'27.917"E	326.999	347.825	326.088	346.914	20.826	347.4	0.4	APPROACH 14	2336794.314	294815.8413	23-Jun-23	113
5836	Cell Phone Mast on Building	21°07'15.154"N	079°01'29.470"E	330.459	351.896	329.548	350.985	21.437	347	4.9	APPROACH 14	2336799.858	294860.7324	23-Jun-23	112
5226	Pipe on Water Tank	21°07'10.072"N	079°01'19.209"E	330.801	350.593	329.89	349.682	19.792	348	2.6	APPROACH 14	2336647.251	294562.6546	23-Jun-23	115
5680	Pipe on Water Tank	21°07'09.421"N	079°01'16.928"E	332.541	351.938	331.63	351.027	19.397	348.5	3.4	APPROACH 14	2336628.046	294496.5827	23-Jun-23	117
6162	Pipe on Water Tank	21°07'09.163"N	079°01'20.929"E	329.105	349.048	328.194	348.137	19.943	347	2	APPROACH 14	2336618.674	294611.9429	23-Jun-23	114
6560	Pipe on Water Tank	21°07'10.589"N	079°01'19.009"E	331.398	350.776	330.487	349.865	19.378	348.3	2.5	APPROACH 14	2336663.205	294557.1	23-Jun-23	116
6174	Arrester on Building	21°07'10.813"N	079°01'04.385"E	334.887	364.116	333.976	363.205	29.229	361	3.1	INNER HORIZONTAL	2336675.372	294135.1326	23-Jun-23	119
6175	Arrester on Building	21°07'12.125"N	079°01'04.358"E	334.887	364.442	333.976	363.531	29.555	361	3.4	INNER HORIZONTAL	2336715.725	294134.857	23-Jun-23	120
6379	Clear Object	21°07'22.859"N	079°00'28.107"E	-	334.303	-	333.392	-	361	Clear	INNER HORIZONTAL	2337058.954	293092.852	24-Jun-23	Clear 6379
6382	Cell Phone Mast	21°07'33.936"N	079°00'28.522"E	336.54	368.621	335.629	367.71	32.081	361	7.6	INNER HORIZONTAL	2337399.476	293109.0848	24-Jun-23	121
6368	Over Head Water Tank	21°07'56.180"N	079°00'22.673"E	345.477	368.396	344.566	367.485	22.919	361	7.4	INNER HORIZONTAL	2338085.771	292948.8707	24-Jun-23	125
6369	Dish on Building	21°07'57.775"N	079°00'16.957"E	341.643	370.692	340.732	369.781	29.049	361.8	8.9	CONICAL	2338136.877	292784.5589	24-Jun-23	127
6362	Cell Phone Mast	21°08'00.372"N	079°00'21.497"E	346.735	388.746	345.824	387.835	42.011	361	27.7	INNER HORIZONTAL	2338215.107	292916.5532	24-Jun-23	123
6363	Cell Phone Mast	21°08'04.802"N	079°00'11.682"E	346.483	379.548	345.572	378.637	33.065	374.6	4.9	CONICAL	2338354.924	292635.0653	24-Jun-23	129

4.7 Data - Survey of Nov 2018							Data from Survey Report - Survey of Nov 2018					
UID	Orthometric Height (M) EGM 08_4.7	Orthometric Height (M) AMSL_4.7	Permitted Altitude_4.7	Penetration in (m)_4.7	Northing	Easting	Top Elevation (M) EGM 08_Survey Report	Top Elevation (M) AMSL_Survey Report	Site Elevation (M) EGM 08_Survey Report	Site Elevation (M) AMSL_Survey Report	Permitted Altitude (M)_Survey Report_EGM 08	Penetration in (M)_Survey Report
95	-	-	-	-	-	-	-	-	-	-	-	-
1225	-	-	-	-	-	-	-	-	-	-	-	-
1227	-	-	-	-	-	-	-	-	-	-	-	-
1229	-	-	-	-	-	-	-	-	-	-	-	-
1230	-	-	-	-	-	-	-	-	-	-	-	-
162	-	-	-	-	-	-	-	-	-	-	-	-
1226	-	-	-	-	-	-	-	-	-	-	-	-
5861	335.429	334.518	329	6.4	2335088.456	296356.5364	335.4	334.5	314.7	313.8	328.9	6.5
5862	335.874	334.963	323.7	12.2	2335095.663	296304.5676	335.9	335	314.7	313.789	323.6	12.3
5158	333.2	332.289	325.2	8	2335218.435	296226.1651	333.2	332.3	314.4	313.5	325.1	8.1
5863	330.751	329.84	330.6	0.2	2335230.206	296265.5615	330.8	329.9	314.3	313.4	330.5	0.3
5866	331.94	331.029	328.6	3.3	2335210.925	296262.0829	331.9	331	314.3	313.4	328.5	3.4
5926	333.07	332.159	321.6	11.5	2335177.181	296226.8751	333.1	332.2	314.7	313.8	321.6	11.5
6634	329.646	328.735	322.7	6.9	2335256.838	296176.4004	329.6	328.7	314.1	313.2	322.7	6.9
6358	327.572	326.661	324.3	3.3	2335546.992	295981.671	327.6	326.7	313.2	312.3	324.3	3.3
6641	328.387	327.476	323.9	4.5	2335510.488	296004.3185	328.4	327.5	313.2	312.3	323.9	4.5
6433	350.971	350.06	349.8	1.2	2336267.234	295689.5074	351	350.1	320.8	319.9	349.8	1.2
336	-	-	-	-	-	-	-	-	-	-	-	-
5196	339.293	338.382	334.2	5.1	2336219.268	295590.3252	339.3	338.4	320.8	319.9	334.2	5.1
5285	334.474	333.563	329	5.5	2336185.757	295547.9645	334.5	333.6	320.8	319.9	329	5.5
5300	330.262	329.351	329.5	0.8	2336166.652	295587.8684	330.3	329.4	320.2	319.289	329.5	0.8
5796	333.194	332.283	330.5	2.7	2336078.113	295658.4304	333.2	332.3	315.9	315	330.5	2.7
6284	335.071	334.16	331.8	3.3	2336202.017	295583.455	335.071	334.16	-	-	331.8	3.3
5017	339.282	338.371	330.3	9	2336237.493	295509.261	339.3	338.4	320.7	319.8	330.3	9
6419	340.941	340.03	331	9.9	2336259.51	295535.355	340.9	340	321.1	320.2	331	9.9
5026	339.333	338.422	330.8	8.5	2336249.744	295480.351	339.3	338.4	320.9	320	330.8	8.5
5284	334.249	333.338	330.8	3.4	2336236.313	295458.2136	334.2	333.3	320.9	320	330.8	3.4
5961	335.234	334.323	330.7	4.5	2336260.703	295501.985	335.234	334.323	-	-	330.7	4.5
5422	332.305	331.394	331.8	0.5	2336256.839	295407.4558	332.3	-	321.1	-	331.8	0.5
6434	334.117	333.206	332.3	1.8	2336287.903	295405.8958	334.1	333.2	321.1	320.2	332.3	1.8
5397	337.842	336.931	333.7	4.1	2336357.878	295379.0696	337.8	336.9	321.8	320.9	333.7	4.1
6431	337.654	336.743	332.3	5.4	2336307.172	295431.2592	337.7	336.8	321	320.1	332.3	5.4
5028	342.105	341.194	334.8	7.3	2336353.461	295286.484	342.1	341.2	321	320.1	334.8	7.3
5979	337.604	336.693	334.1	3.5	2336274.115	295235.335	337.6	336.7	320.4	319.5	334.1	3.5
5392	331.677	330.766	331.3	0.4	2336180.558	295338.5621	331.7	330.8	318	317.1	331.3	0.4
5335	330.466	329.555	329.8	0.7	2335948.344	295144.4084	330.5	329.6	318.7	317.8	329.8	0.7
5255	327.493	326.582	326.9	0.6	2335846.061	295252.7828	327.5	326.589	319.2	318.3	326.9	0.6
6244	334.26	333.349	331.6	2.7	2335845.918	295204.196	334.3	333.4	319.2	318.3	331.6	2.7
6594	330.341	329.43	327.3	3	2335843.172	295244.0199	330.3	329.389	319.2	318.3	327.3	3
5542	328.094	327.183	327.1	1	2335770.232	295299.3955	328.1	327.2	318.5	317.6	327.1	1
5891	327.868	326.957	325.9	2	2335808.22	295287.3356	327.9	327	318.8	317.9	325.9	2
6225	328.471	327.56	324.5	4	2335757.445	295333.581	328.5	327.6	320.1	319.2	324.5	4
6295	326.187	325.276	325.4	0.8	2335717.371	295353.785	326.187	325.276	-	-	325.4	0.8
5369	328.62	327.709	325.7	2.9	2335836.372	295340.3085	328.6	327.689	318.2	317.289	325.7	2.9
5372	327.482	326.571	325.5	2	2335821.675	295342.6218	327.5	326.6	318.2	317.3	325.5	2
5545	326.271	325.36	325.2	1.1	2335825.957	295368.8079	326.3	325.389	316.1	315.189	325.2	1.1
5564	327.756	326.845	324.8	3	2335797.634	295367.1128	327.8	326.9	316.1	315.2	324.8	3
6305	328.198	327.287	326.4	1.8	2335587.398	295440.465	328.198	327.287	-	-	326.4	1.8
270	-	-	-	-	-	-	-	-	-	-	-	-
5038	343.599	342.688	337.4	6.2	2336521.219	295293.041	343.6	342.7	323.5	322.5	337.4	6.2
5843	343.118	342.207	337.5	5.6	2336533.357	295296.6921	343.1	342.2	321.8	320.889	337.5	5.6
5852	341.243	340.332	340.1	1.1	2336617.776	295191.5374	341.2	340.3	325.1	324.2	340.1	1.1
5841	344.08	343.169	340.1	4	2336691.672	295297.665	344.1	343.2	321.9	321	340.1	4
6113	346.494	345.583	340.6	5.9	2336710.806	295283.656	346.5	345.6	321.9	321	340.8	5.7
6147	346.301	345.39	341.7	4.6	2336750.842	295278.219	346.3	345.4	328.9	327.989	341.7	4.6
5377	346.305	345.394	344.3	2	2336787.283	295068.0202	346.3	345.4	329.2	328.3	344.3	2
5015	349.98	349.069	340.9	9.1	2336543.634	295021.891	350	349.1	327.4	326.5	340.9	9.1
5042	347.596	346.685	341.7	5.9	2336574.099	294996.755	347.6	346.7	327.4	326.5	341.7	5.9
5831	347.034	346.123	343.6	3.4	2336639.208	294924.5012	347	346.1	327.2	326.3	343.6	3.4
5376	346.891	345.98	344.3	2.6	2336882.638	295200.6071	346.9	346	329.2	328.3	344.3	2.6
6544	347.907	346.996	345.1	2.8	2336860.278	295230.7381	347.9	347	329.2	328.3	345.1	2.8
5053	351.04	350.129	345.9	5.1	2336857.774	295031.919	351	350.1	329.3	328.4	345.9	5.1
5072	350.778	349.867	346.5	4.3	2336848.825	294972.097	350.8	349.9	330	329.1	346.5	4.3
5219	349.283	348.372	346	3.3	2336824.062	294981.417	349.3	348.4	330	329.1	346	3.3
5834	347.711	346.8	347.4	0.3	2336794.204	294814.3628	347.7	346.8	329.8	328.889	347.4	0.3
5836	351.9	350.989	346.9	5	2336797.862	294861.904	351.9	351	329.8	328.9	346.9	5
5226	350.084	349.173	347.9	2.2	2336646.251	294566.241	350.1	349.2	330.8	329.9	347.9	2.2
5680	351.457	350.546	348.7	2.8	2336640.816	294497.8159	351.5	350.6	332.4	331.5	348.7	2.8
6162	350.292	349.381	347	3.3	2336620.525	294613.017	350.3	349.4	331.2	330.289	347	3.3
6560	350.558	349.647	348.2	2.4	2336661.51	294560.7398	350.6	349.7	334.2	333.3	348.2	2.4
6174	362.289	361.378	361.1	1.2	2336671.937	294137.265	362.289	361.378	-	-	361.1	1.2
6175	362.417	361.506	361.1	1.3	2336713.733	294140.275	362.417	361.506	-	-	361.1	1.3
6379	383.806	382.895	361.1	22.7	2337063.053	293089.978	383.806	382.895	-	-	361.1	22.7
6382	368.595	367.684	361.1	7.5	2337399.388	293109.008	368.595	367.684	-	-	361.1	7.5
6368	369.716	368.805	361.1	8.6	2338076.164	292950.399	369.716	368.805	-	-	361.1	8.6
6369	370.641	369.73	361.9	8.7	2338136.559	292784.23	370.6	369.7	345.6	344.7	361.9	8.7
6362	388.045	387.134	361.1	26.9	2338213.557	292916.315	388.045	387.134	-	-	361.1	26.9
6363	378.56	377.649	374.6	4	2338352.727	292636.976	378.56	377.649	-	-	374.6	4

Difference w.r.t. MIL Data Submitted to DGCA						Difference w.r.t. Survey Report - Nov 2018				
UID	Diff in Northing (M)	Diff in Easting (M)	Diff in location (M)	Diff in Elevation (M)	Diff in Base Elevation (M)	Diff in Northing (M)	Diff in Easting (M)	Diff in location (M)	Diff in Elevation (M)	Diff in Base Elevation (M)
95	0.278	-8.457	8.462	-0.150	-0.294	-	-	-	-	-
1225	1.054	0.462	1.151	-0.018	0.447	-	-	-	-	-
1227	-7.080	-17.538	18.913	-1.246	-0.204	-	-	-	-	-
1229	-0.982	1.384	1.697	-0.240	-0.144	-	-	-	-	-
1230	-4.152	4.704	6.274	-3.438	-0.445	-	-	-	-	-
162	-2.974	-0.402	3.001	5.374	-0.091	-	-	-	-	-
1226	-3.522	-1.756	3.935	-1.648	-0.378	-	-	-	-	-
5861	4.055	0.704	4.116	-0.809	-2.154	-0.010	0.009	0.013	-0.018	-0.011
5862	0.073	-1.109	1.111	-0.205	-2.556	-0.024	-0.007	0.025	0.037	0.000
5158	-2.625	-1.009	2.812	-0.386	-0.148	-0.016	0.009	0.018	0.011	-0.011
5863	-8.311	-8.684	12.020	-2.241	-0.548	0.001	0.015	0.015	0.060	-0.011
5866	2.088	3.407	3.996	-1.126	-0.554	-0.024	-0.006	0.024	-0.029	-0.011
5926	-0.097	-0.137	0.168	-0.097	-0.650	-0.021	0.003	0.021	0.041	-0.011
6634	1.378	0.052	1.379	-0.053	-0.164	0.001	-0.007	0.007	-0.035	-0.011
6358	12.763	0.852	12.792	2.322	-0.749	-0.011	0.000	0.011	0.039	-0.011
6641	-5.514	-1.247	5.653	1.079	-0.280	-0.024	-0.007	0.024	0.024	-0.011
6433	-0.011	0.167	0.167	-0.930	1.334	-0.002	0.012	0.012	0.040	-0.011
336	-1.660	-6.202	6.421	-1.807	-0.296	-	-	-	-	-
5196	0.465	-4.223	4.249	-0.604	-0.317	0.005	0.001	0.005	0.018	-0.011
5285	-7.556	-11.960	14.147	-0.171	0.005	-0.012	0.008	0.015	0.037	-0.011
5300	3.706	-7.306	8.192	-0.698	-0.230	-0.012	-0.012	0.017	0.049	0.000
5796	-1.060	0.211	1.081	-0.086	-2.785	-0.015	0.000	0.015	0.017	-0.011
6284	2.107	-1.786	2.763	0.847	-0.081	-0.008	-0.010	0.013	0.940	-
5017	-2.766	-5.397	6.065	-0.557	0.053	-0.021	0.010	0.024	0.009	0.000
6419	-3.046	-3.926	4.970	-0.304	0.115	0.002	-0.007	0.007	-0.030	-0.011
5026	1.019	0.627	1.197	-0.385	-0.503	-0.010	0.006	0.011	0.008	0.000
5284	1.420	0.125	1.426	0.105	0.066	-0.024	0.012	0.027	-0.038	-0.011
5961	-1.111	-2.213	2.476	-1.917	-0.703	-0.009	0.011	0.014	-0.023	-
5422	0.714	0.714	1.010	-1.028	0.007	-0.018	-0.008	0.020	-0.894	-
6434	-1.477	-4.198	4.450	-0.020	-0.172	-0.025	0.003	0.025	-0.906	-0.011
5397	1.331	-0.885	1.598	-0.380	2.606	-0.024	-0.013	0.027	0.009	-0.011
6431	-2.364	-3.437	4.171	-0.285	-0.572	-0.013	-0.010	0.017	0.057	0.034
5028	9.332	-1.548	9.459	0.320	-0.543	0.003	0.010	0.011	0.006	-0.044
5979	-7.746	6.492	10.107	-0.007	-0.565	-0.027	0.010	0.028	0.007	-0.011
5392	-0.037	-0.504	0.506	-0.099	-1.139	-0.002	-0.005	0.005	0.034	-0.011
5335	-10.876	5.197	12.054	-2.120	-4.495	0.004	0.015	0.016	-0.855	-0.011
5255	8.678	-0.517	8.693	-2.913	0.389	-0.015	0.000	0.015	-0.002	-0.011
6244	0.096	0.257	0.274	-2.402	-1.965	-0.008	0.006	0.009	0.051	0.019
6594	1.054	-3.211	3.379	-2.537	0.389	-0.001	0.010	0.010	-0.050	-0.011
5542	0.403	0.500	0.642	-0.652	0.205	-0.005	-0.013	0.014	0.017	-0.011
5891	-3.916	-4.818	6.209	-2.139	0.721	-0.007	-0.009	0.012	-0.857	-0.011
6225	-0.154	-0.022	0.155	-0.126	0.102	-0.008	-0.008	0.011	0.040	-1.311
6295	1.648	-2.091	2.662	-1.575	-0.706	-0.020	-0.012	0.023	0.924	-
5369	-0.426	0.951	1.042	-0.450	0.854	-0.024	0.016	0.029	-0.009	0.000
5372	-0.352	0.173	0.392	-1.247	0.854	0.002	0.003	0.004	-0.871	-0.011
5545	-1.046	-0.053	1.048	-0.213	-1.010	-0.021	-0.008	0.022	-0.860	0.000
5564	-0.229	1.023	1.049	-0.860	-1.010	-0.008	0.009	0.012	0.055	-0.011
6305	-3.082	2.093	3.726	0.804	0.363	-0.010	-0.004	0.011	0.913	-
270	1.889	-540.079	540.082	-0.845	5.441	-	-	-	-	-
5038	4.689	2.260	5.205	-0.143	-0.888	-0.004	0.007	0.008	0.012	0.042
5843	3.901	-3.895	5.513	-0.099	-2.541	-0.005	-0.001	0.005	-0.007	0.000
5852	-0.132	-2.946	2.948	-1.525	-0.050	-0.004	0.012	0.013	-0.932	-0.011
5841	-0.481	-0.637	0.799	-0.547	-0.001	-0.005	0.008	0.009	0.011	-0.011
6113	0.084	-1.066	1.070	-0.478	-0.001	-0.016	-0.005	0.017	0.017	-0.011
6147	4.719	-0.919	4.808	0.618	-0.001	-0.026	0.012	0.029	0.010	-7.000
5377	3.282	-1.724	3.707	-0.932	0.151	-0.021	-0.008	0.023	-0.894	-0.011
5015	-0.098	-0.036	0.104	0.320	-0.062	-0.013	0.003	0.013	0.011	-0.042
5042	-0.079	-0.120	0.143	-0.035	-0.031	-0.020	0.002	0.020	0.015	-0.011
5831	-0.864	0.768	1.156	-0.533	-0.001	-0.002	0.012	0.012	0.007	-0.011
5376	-0.604	0.535	0.807	-1.285	1.468	-0.001	0.001	0.002	0.010	-0.011
6544	-1.752	-3.677	4.073	1.133	-0.612	-0.009	0.014	0.017	0.004	-2.091
5053	6.897	0.061	6.897	0.573	-0.312	-0.021	-0.006	0.022	0.011	0.023
5072	-0.080	-0.133	0.155	0.083	-0.079	-0.019	-0.012	0.022	0.013	-0.006
5219	0.941	4.632	4.726	-1.678	0.020	-0.011	0.001	0.012	0.008	-0.011
5834	-0.118	-1.478	1.483	-1.014	2.801	-0.008	0.000	0.008	-0.900	0.000
5836	-2.008	1.184	2.331	-0.885	-0.659	-0.012	0.013	0.018	-0.889	-0.011
5226	-1.007	3.578	3.717	-1.382	-0.001	-0.007	-0.008	0.011	-0.873	-0.011
5680	12.775	1.234	12.834	-0.467	-0.141	0.004	0.001	0.004	0.014	-0.011
6162	1.825	1.075	2.118	1.263	0.088	-0.026	0.001	0.026	0.019	-2.007
6560	-1.696	3.637	4.013	-1.065	-0.198	-0.001	-0.003	0.003	-0.847	-3.011

6174	-3.452	2.135	4.059	0.095	-0.537	-0.016	0.003	0.016	1.922	-
6175	-2.006	5.414	5.774	-1.131	-0.537	-0.014	-0.004	0.015	0.894	-
6379	4.088	-2.872	4.996	50.408	-	-0.011	0.002	0.011	0.905	-
6382	-0.110	-0.082	0.137	0.890	-2.081	-0.022	-0.005	0.023	0.916	-
6368	-9.629	1.540	9.752	2.215	1.163	-0.022	0.012	0.025	0.895	-
6369	-0.325	-0.322	0.458	-0.081	5.357	-0.007	0.007	0.009	-0.030	1.389
6362	-1.556	-0.234	1.574	0.165	1.265	-0.006	0.004	0.007	0.866	-
6363	-2.205	1.897	2.909	-0.037	0.383	-0.008	-0.013	0.016	0.951	-