Quotation / Estimate

Supplier	Invoice No.: PI_166/22			Dated: 21 Oct 2022			
Raj Technologies						•	
B-76, Nice Area, MIDC Satp	ur Nashik		Buyer				
Pin code: 422007		Purelife Agroex Pvt. Ltd.					
E-Mail: marketing	Plot no. 4G, Sector-23, MIHAN, Khapri						
rgistech.com	Pin code : 441108						
Contact: 0253-2353407							
Terms of Payment: Advanc	Terms of Delivery: Within 10 working days from the date of completion of survey						
Description of Service		SAC		Rate		Amount	
Survey for Site Elev Certificate (Project:)		998344				25000.00	
Travel Cost							500.00
Total							25500.00
CGST				9.00 %		2295.00	
SGST				9.00 %		2295.00	
				30090.00			
Amount Chargeable (in word	ds): INR Thirty Thousand Ni	nty Rupees ar	nd Zero Paise	only			E. & O.E.
SAC	Taxable Value	Central Tax		State Tax			
		Rate	Amount	Rate	Amount	Total Tax Amount	
998344	25500.00	9.00%	2295.00	9.00%	2295.00		4590.00
Total	25500.00		2295.00		2295.00	4590.00	
Tax Amount (in words): INR	Four Thousand Five Hundr	ed Ninty Rupe	ees and Zero	Paise only			
Account Details of Raj Teo	hnologies for NEFT/RTGS						
Account holder name:	Raj Technologies	Account type:		Current			
Account Number:	108805002126	Name of Bank:		ICICI Bank			
IFSC Code:	ICIC0001088	Branch:		Mahatma Nagar, Nashik			
Terms & Conditions: 1. The work will be undertak	en within 10 working days fro	m the date of r	eceipt of Work	Corder and adv	vance paymen	t; whichever is	later.

2. Draft Site Elevation Certificates will be provided in prescribed format of AAI within 10 working days from the date of completion of Survey at Site.

3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only.

4. The Survey will be conducted as per AAI's data quality requirements.

5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.

Customer's Seal and Signature

Raj Technologies

(This is a computer generated Quotation. Hence no signature required.)