Quotation / Estimate

Supplier	Invoice No.: PI_199		PI_199/22		Dated: 01 Dec 2022	
Raj Technologies						
B-76, Nice Area, MIDC Satp		Buyer				
Pin code: 422007	Yuraj shinde					
E-Mail: marketing	Flat no 406 guruvishv apartment hirapur aurangabad					
rgistech.com	Pin code : 431007					
Contact: 0253-2353407						
Terms of Payment: Advanc	Terms of Delivery: Within 10 working days from the date of completion of survey					
Description of Service		SAC		Rate		Amount
Survey for Site Elev Certificate (Project:)		998344				10000.00
Travel Cost					2500.00	
Total					12500.00	
			9.00 %		1125.00	
			9.00 %		1125.00	
					14750.00	
Amount Chargeable (in word	ds): INR Fourteen Thousand	l Seven Hundı	red Fifty Rupe	ees and Zero P	aise only	E. & O.E.
SAC	Taxable Value	Central Tax		State Tax		
		Rate	Amount	Rate	Amount	Total Tax Amount
998344	12500.00	9.00%	1125.00	9.00%	1125.00	2250.00
Total	12500.00		1125.00		1125.00	2250.00
Tax Amount (in words): INR	Two Thousand Two Hundr	ed Fifty Rupe	es and Zero P	aise only		
Account Details of Raj Teo	hnologies for NEFT/RTGS					
Account holder name:	Raj Technologies	chnologies Account type:		Current		
Account Number:	108805002126	Name of Bank:		ICICI Bank		
IFSC Code:	ICIC0001088	Branch:		Mahatma Nagar, Nashik		
Terms & Conditions:						
l						

The work will be undertaken within 10 working days from the date of receipt of Work Order and advance payment; whichever is later.
Draft Site Elevation Certificates will be provided in prescribed format of AAI within 10 working days from the date of completion of Survey at

Site.

3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only.

4. The Survey will be conducted as per AAI's data quality requirements.

5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.

Customer's Seal and Signature

Raj Technologies

(This is a computer generated Quotation. Hence no signature required.)