Quotation / Estimate

		Invoice No.: PI_0		91_025/23	Dated: 28 Apr 2023	
Supplier Raj Technologies B-76, Nice Area, MIDC Satpur Nashik Pin code: 422007 E-Mail: marketing rgistech.com Contact: 0253-2353407		Buyer DB Renews Pvt. Ltd. DB Renews Pvt. Ltd. 27MW Wind Project Site Above Hill Top, Near Bharamappa Temple, Nagaral Kurne Kodi, Near Tengyankodi Hirekudi Grama Chikodi - 591247 Pin code : 591247				
Terms of Payment: Advance		Terms of Delivery: Within 10 working days from the date of completion of survey				
Description of Service		SAC		Rate	Amount	
Survey for Site Elev Certificate (Project:)		998344			70000.0	
Travel Cost					0.0	
Total					70000.0	
				0.00 %	0.0	
IGST				18.00 %	12600.0	
				82600.0		
Amount Chargeable (in word	s): INR Eighty Two Thousa	nd Six Hundr	ed Rupees an	d Zero Paise only	E. & O.E	
SAC	Taxable Value	IGST		ГТах	Total Tax Amount	
570		Rate		Amount		
998344	70000.00		18.00%	12600.00	12600.0	
Total	70000.00	0		12600.00		
Tax Amount (in words): INR	Twelve Thousand Six Hund	dred Rupees	and Zero Pais	e only		
Account Details of Raj Tec	hnologies for NEFT/RTGS			1		
Account holder name:	Raj Technologies	Account type:		Current		
Account Number:	108805002126	Name of Bank:		ICICI Bank		
IFSC Code:	ICIC0001088	Branch:		Mahatma Nagar, Nashik		

1. The work will be undertaken within 10 working days from the date of receipt of Work Order and advance payment; whichever is later.

2. Draft Site Elevation Certificates will be provided in prescribed format of AAI within 10 working days from the date of completion of Survey at Site.

3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only.

4. The Survey will be conducted as per AAI's data quality requirements.

5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.

Customer's Seal and Signature

Raj Technologies

(This is a computer generated Quotation. Hence no signature required.)