Quotation / Estimate

Supplier	Invoice No.: PI_039/23			Dated: 09 May 2023			
Raj Technologies							
B-76, Nice Area, MIDC Satp		Buyer					
Pin code: 422007		Mudit Surana					
E-Mail: marketing	Plot F4, F4/1, MIDC Chikalthana , Aurangabad						
rgistech.com	Pin code : 431001						
Contact: 0253-2353407							
Terms of Payment: Advanc		Terms of Delivery: Within 10 working days from the date of completion of survey					
Description of Service		SAC		Rate		Amount	
Survey for Site Elev Certificate (Project:)		998344				50000.00	
Travel Cost					1000.00		
Total					51000.00		
CGST				9.00 %		4590.00	
			9.00 %		4590.00		
					60180.00		
Amount Chargeable (in word	s): INR Sixty Thousand On	e Hundred Eig	ghty Rupees a	and Zero Paise	only	E. & O.E.	
SAC	Taxable Value	Central Tax		State Tax			
		Rate	Amount	Rate	Amount	Total Tax Amount	
998344	51000.00	9.00%	4590.00	9.00%	4590.00	9180.00	
Total	51000.00		4590.00		4590.00	9180.00	
Tax Amount (in words): INR	Nine Thousand One Hundr	ed Eighty Rup	bees and Zero	Paise only			
Account Details of Raj Teo	hnologies for NEFT/RTGS						
Account holder name:	Raj Technologies	Account type:		Current			
Account Number:	108805002126	Name of Bank:		ICICI Bank			
IFSC Code:	ICIC0001088	Branch:		Mahatma Nagar, Nashik			
Terms & Conditions:							

1. The work will be undertaken within 10 working days from the date of receipt of Work Order and advance payment; whichever is later.

2. Draft Site Elevation Certificates will be provided in prescribed format of AAI within 10 working days from the date of completion of Survey at Site.

3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only.

4. The Survey will be conducted as per AAI's data quality requirements.

5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.

Customer's Seal and Signature

Raj Technologies

(This is a computer generated Quotation. Hence no signature required.)