## **Quotation / Estimate**

Supplier	Invoice No.: <b>PI_197/23</b>		Dated: 01 Sep 2023		
Raj Technologies					•
B-76, Nice Area, MIDC Satp	ur Nashik		Buyer		
Pin code: 422007		Manish Kumbhare Room No : 204 , 52A Nirman Sadan, Arera Hills , Bhopal-462011 Pin code : 462011			
E-Mail: marketing					
rgistech.com					
Contact: 0253-2353407		1 11 0000 . 102			
Terms of Payment: Advance		Terms of Delivery: Within 10 working days from the date of completion of survey			
Description of Service		SAC		Rate	Amount
Survey for Site Elev Certificate (Project: )		998344			50000.00
Travel Cost					16600.00
Total					66600.00
				0.00 %	0.00
IGST				18.00 %	11988.00
				78588.00	
Amount Chargeable (in word	ds): INR Seventy Eight Thou	isand Five Hu	ndred Eighty	Eight Rupees and Zero Pai	se only E. & O.E.
SAC	Taxable Value	IGST Tax			
		Rate		Amount	Total Tax Amount
998344	66600.00	18.00%		11988.00	11988.00
Total	66600.00			11988.00	
Tax Amount (in words): INR	Eleven Thousand Nine Hur	ndred Eighty B	Eight Rupees	and Zero Paise only	
Account Details of Raj Teo	hnologies for NEFT/RTGS				
Account holder name:	Raj Technologies	chnologies Account type		Current	
Account Number:	108805002126	Name of Bank:		ICICI Bank	
IFSC Code:	ICIC0001088	Branch:		Mahatma Nagar, Nashik	
Terms & Conditions:					

1. The work will be undertaken within 10 working days from the date of receipt of Work Order and advance payment; whichever is later.

2. Draft Site Elevation Certificates will be provided in prescribed format of AAI within 10 working days from the date of completion of Survey at Site.

3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only.

4. The Survey will be conducted as per AAI's data quality requirements.

5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.

Customer's Seal and Signature

Raj Technologies

(This is a computer generated Quotation. Hence no signature required.)