

Quotation / Estimate

Supplier Raj Technologies B-76, Nice Area, MIDC Satpur Nashik Pin code: 422007 E-Mail: marketing rgistech.com Contact: 0253-2353407		Invoice No.: PI_226/23		Dated: 27 Sep 2023		
		Buyer NEWERA HOSPITALS NAGPUR PRIVATE LIMITED Plot No 35, Pragati Housing Society, Chhatrapati Square, Wardha Road Pin code : 440015				
Terms of Payment: Advance		Terms of Delivery: Within 10 working days from the date of completion of survey				
Description of Service	SAC	Rate	Amount			
Survey for Site Elev Certificate (Project:)	998344		10000.00			
Travel Cost			0.00			
Total			10000.00			
CGST		9.00 %	900.00			
SGST		9.00 %	900.00			
Total			11800.00			
Amount Chargeable (in words): INR Eleven Thousand Eight Hundred Rupees and Zero Paise only					E. & O.E.	
SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
998344	10000.00	9.00%	900.00	9.00%	900.00	1800.00
Total	10000.00		900.00		900.00	1800.00
Tax Amount (in words): INR One Thousand Eight Hundred Rupees and Zero Paise only						
Account Details of Raj Technologies for NEFT/RTGS						
Account holder name:	Raj Technologies	Account type:	Current			
Account Number:	108805002126	Name of Bank:	ICICI Bank			
IFSC Code:	ICIC0001088	Branch:	Mahatma Nagar, Nashik			
Terms & Conditions:						
1. The work will be undertaken within 10 working days from the date of receipt of Work Order and advance payment; whichever is later. 2. Draft Site Elevation Certificates will be provided in prescribed format of AAI within 10 working days from the date of completion of Survey at Site. 3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only. 4. The Survey will be conducted as per AAI's data quality requirements. 5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.						
Customer's Seal and Signature					Raj Technologies	
(This is a computer generated Quotation. Hence no signature required.)						