## **Quotation / Estimate**

Supplier		Quotation No.	.: ADL_Q_110/24		Dated: 04 Jul 2024		
ADL Coordinates Private L	imited						
B-76, Nice Area, MIDC Satp		Buyer <b>Tab Consultant and Service Provider</b> 72, Geeta Nagar, Manewada, Besa Road, Nagpur					
Pin code: 422007							
E-Mail: marketing							
adlcoordinates.com		Pin code : 440034					
Contact: 0253-2353407							
Terms of Payment: Advanc		Terms of Delivery: Within 10 working days from the date of completion of survey					
Description	SAC		Rate		Amount		
Building- Survey for Site E (Project: PHADKE - Bapat)	998344					10000.00	
Travel Cost						0.00	
Total							10000.00
				9.00 %	900.00		
		9.00 %			900.00		
						11800.00	
Amount Chargeable (in word	ds): INR Eleven Thousand E	ight Hundred	Rupees and 2	Zero Paise onl	у		E. & O.E.
SAC	Taxable Value	Central Tax		State Tax			
		Rate	Amount	Rate	Amount	Total Tax	Total Tax Amount
998344	10000.00	9.00%	900.00	9.00%	900.00		1800.00
Total	10000.00		900.00		900.00	1800.00	
Tax Amount (in words): INR	One Thousand Eight Hund	red Rupees a	nd Zero Paise	only			
Account Details of ADL Co	ordinates Private Limited f	or NEFT/RTG	s				
Account holder name:	ADL Coordinates Private Limited	Account type:		Current			
Account Number:	108805002703	Name of Bank:		ICICI Bank			
IFSC Code:	ICIC0001088	Branch:		Mahatma Nagar, Nashik			
	en within 10 working days fro		-				
2. Drait Site Elevation Certif	icates will be provided in pres	scribed format	oi aai within 1	o working days	nom me date	or completion (	J Survey at

Site. 3 The draft will be uploaded on a

3. The draft will be uploaded on ANSEC portal and after acceptance of draft by you on the same, the final certificate will be issued on the portal only.

4. The Survey will be conducted as per AAI's data quality requirements.

5. A person from your side shall be deputed on site along with survey team to show actual survey location/plot boundary on ground.

Customer's Seal and Signature

ADL Coordinates Private Limited

(This is a computer generated Quotation. Hence no signature required.)