

Quotation / Estimate

Supplier Raj Technologies B-76, Nice Area, MIDC Satpur Nashik Pin code: 422007 pan PAN No: AJPPK1232N E-Mail: noc.survey@rgistech.com GSTIN/UIN: 27AJPPK1232N1ZW State: Maharashtra Code: 27 Contact: 0253-2353407	Invoice No.: PI_307/19	Dated: 27 Mar 2020
Buyer Mayur Panchal G.S.Enterprise Shop No.L-1 L-2,Lower Ground Floor Ascon City, Opp. SMC Science Center, City Light Road, Surat 395007 7709836883 sushil@rgistech.com Pin code : 395007 PAN No: AAAAAA1234A GSTIN/UIN:		

Buyer's Order No.:	Dated:
Terms of Payment: Advance	Terms of Delivery: Within 10 working days from the date of completion of survey

Description of Service	SAC	Rate	Amount
Survey for Site Elev Certificate (Project:)	998344		50000.00
Travel Cost			12000.00
Total			62000.00
		0.00 %	0.00
IGST		18.00 %	11160.00
Total			73160.00

Amount Chargeable (in words): **INR Seventy Three Thousand One Hundred Sixty Rupees and Zero Paise only** E. & O.E.

SAC	Taxable Value	IGST Tax		Total Tax Amount
		Rate	Amount	
998344	62000.00	18.00%	11160.00	11160.00
Total	62000.00		11160.00	

Tax Amount (in words): **INR Eleven Thousand One Hundred Sixty Rupees and Zero Paise only**

Account Details of Raj Technologies for NEFT/RTGS			
Account holder name:	Raj Technologies	Account type:	Current
Account Number:	50200043472683	Name of Bank:	HDFC Bank
IFSC Code:	HDFC0002541	Branch:	Plot no G-3,MIDC Area, Trimbak Road, Nashik - 422007, Maharashtra

Declaration
 We declare that this invoice shows the actual price of the service described and that all particulars are true and correct.

Terms & Conditions: for Raj Technologies
 Rates shown are minimum for 10.00 points(based on area of your site).
 Actual amount may vary depending on number of points captured during the survey.
 Additional points captured during the survey will be charged at Rs. 5000.00 / point.
 For more details refer AAI GIS CIRCULAR Dated: 24th July 2019.

Customer's Seal and Signature Authorised Signatory

SUBJECT TO NASHIK JURISDICTION
 (This is a computer generated invoice. Hence no signature required.)