

Quotation / Estimate

Supplier Raj Technologies B-76, Nice Area, MIDC Satpur Nashik Pin code: 422007 PAN No: AJPPK1232N E-Mail: noc.survey@rgistech.com GSTIN/UIN: 27AJPPK1232N1ZW State: Maharashtra Code: 27 Contact: 0253-2353407		Invoice No.: PI_012/21	Dated: 09 Apr 2021			
Buyer's Order No.:		Buyer RAJESH RAMCHANDANI FLAT NO.10, GURUNANAK CO-OP HOUSING SOCEITY, NARA ROAD, JARIPATKA, NAGPUR 9823212319 ramchandaniirr@gmail.com Pin code : 440014 PAN No: ABLPR3079G GSTIN/UIN:				
Terms of Payment: Advance		Terms of Delivery: Within 10 working days from the date of completion of survey				
Description of Service	SAC	Rate	Amount			
Survey for Site Elev Certificate (Project:)	998344		15000.00			
Travel Cost			0.00			
Total			15000.00			
CGST		9.00 %	1350.00			
SGST		9.00 %	1350.00			
Total			17700.00			
Amount Chargeable (in words): INR Seventeen Thousand Seven Hundred Rupees and Zero Paise only			E. & O.E.			
SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
998344	15000.00	9.00%	1350.00	9.00%	1350.00	2700.00
Total	15000.00		1350.00		1350.00	2700.00
Tax Amount (in words): INR Two Thousand Seven Hundred Rupees and Zero Paise only						
Account Details of Raj Technologies for NEFT/RTGS						
Account holder name:	Raj Technologies	Account type:	Current			
Account Number:	108805002126	Name of Bank:	ICICI Bank			
IFSC Code:	ICIC0001088	Branch:	Mahatma Nagar, Nashik			
Declaration We declare that this invoice shows the actual price of the service described and that all particulars are true and correct.						
Terms & Conditions: Rates shown are minimum for 6.00 points(based on area of your site). Actual amount may vary depending on number of points captured during the survey. Additional points captured during the survey will be charged at Rs. 3000.00 / point. For more details refer AAI GIS CIRCULAR Dated: 24th July 2019.						for Raj Technologies
Customer's Seal and Signature						Authorised Signatory
SUBJECT TO NASHIK JURISDICTION (This is a computer generated invoice. Hence no signature required.)						