

Quotation / Estimate

Supplier Raj Technologies B-76, Nice Area, MIDC Satpur Nashik Pin code: 422007 PAN No: AJPPK1232N E-Mail: noc.survey@rgistech.com GSTIN/UIN: 27AJPPK1232N1ZW State: Maharashtra Code: 27 Contact: 0253-2353407		Invoice No.: PI_113/21	Dated: 11 Oct 2021		
		Buyer MRS. ABOLI .R .VYAS KHASRA NO - 130/1.3,4,5 PLOT NO -76 MOUZA PASODI TAL-DIST -NAGPUR 441108 7262961068 crmsales@rgistech.com Pin code : 411008 PAN No: AAAAAA1234A GSTIN/UIN:			
Buyer's Order No.:		Dated:			
Terms of Payment: Advance		Terms of Delivery: Within 10 working days from the date of completion of survey			
Description of Service	SAC	Rate	Amount		
Survey for Site Elev Certificate (Project:)	998344		10000.00		
Travel Cost			1000.00		
Total			11000.00		
CGST		9.00 %	990.00		
SGST		9.00 %	990.00		
Total			12980.00		
Amount Chargeable (in words): INR Twelve Thousand Nine Hundred Eighty Rupees and Zero Paise only			E. & O.E.		
SAC	Taxable Value	Central Tax	State Tax	Total Tax Amount	
		Rate	Amount		Rate
998344	11000.00	9.00%	990.00	9.00%	990.00
Total	11000.00		990.00		990.00
Tax Amount (in words): INR One Thousand Nine Hundred Eighty Rupees and Zero Paise only					
Account Details of Raj Technologies for NEFT/RTGS					
Account holder name:	Raj Technologies	Account type:	Current		
Account Number:	108805002126	Name of Bank:	ICICI Bank		
IFSC Code:	ICIC0001088	Branch:	Mahatma Nagar, Nashik		
Declaration					
We declare that this invoice shows the actual price of the service described and that all particulars are true and correct.					
Terms & Conditions: for Raj Technologies					
Rates shown are minimum for 4.00 points(based on area of your site).					
Actual amount may vary depending on number of points captured during the survey.					
Additional points captured during the survey will be charged at Rs. 2000.00 / point.					
For more details refer AAI GIS CIRCULAR Dated: 24th July 2019.					
Customer's Seal and Signature				Authorised Signatory	
SUBJECT TO NASHIK JURISDICTION (This is a computer generated invoice. Hence no signature required.)					